We believe in
"Innovation Cleans Life"

Ningbo Power (Joro) Sanitary Electrical Appliance Co.,Ltd

Mob: +86 139 5821 2181
Tel: 86-574-87664043, 87898735, 87358571
Fax: 86-574-87358571
Website: www.sino-handdryer.com
E-mail: sales@sino-handdryer.com

Website

PRODUCT CATALOG

The Choice of Top Brands | The Choice of Wisdom





ENTERPRISE INTRODUCTION

The Company established for
> 20 years

Cooperative clients
> 300

Annual order value
> 10M USD

We believe in "Innovaton Cleans life"

We are an ISO9001 and Sedex certfied manufacturer and trader for hygiene wares with 20+ years' experience.

To broaden our market, we move from OEM to R&D in 2018. With the effort of our professional R&D team, we have now independently developed series products of hand dryers, soap dispensers, hair dryers etc. All of our products have patents.

To meet the different needs of our clients, we always provide customized services for them. Customer satsfaccon is always our ultmate goal.



CORPORATE HONORS



- Company Certifications



- Product Certifications



- Product Design Patents



PRODUCT CATALOG

01 ELECTRIC KETTLE

Enterprise Introducton 01

Corporate Honors 02

Product Catalog 03

02 ELECTRIC IRON

UV Hand Dryers 05

Stainless Steel Hand Dryers 09

Jet Hand Dryers 13

Plastic Hand Dryers 15

Tap Hand Dryers 29

03 COAT HANGER

Luxury Soap Dispensers 33

Faucet Soap Dispensers 43

Stainless Steel Soap Dispensers 47

2 in 1 Soap Dispensers 57

04 GUEST ROOM SUPPLIES

High Speed Hair Dryers 59

Ordinary Hair Dryers 65

05 WASTE BIN

Mirror Cabinets 67

S.S. Grab Bars 69

Shower Seats 71

INNOVATIVE UV HAND DRYER

PW-Zap Y

UVC Sterilization


UVA Sterilization combined with Photocatalyst

High Concentration Negative Oxygen Ion Sterilization

Clean Air

HEPA Filters Bacteria

High Air Speed with **105m/s**



PW-Zap X





PW-Zap Y



PW-Zap X



PW-UVC300

Voltage:	110/220VAC 60/50Hz	**Rated Power:**	1420W
Wind Speed:	100-115m/s	**UV Light:**	20W
Disinfection A ea:	30m^3	**Surface:**	Satn/Polished/Paint
Material:	304#Stainless Steel	**Motor Speed/Power:**	31000RPM/600W
Heating ower:	Resistance Wire /800w(Heatng when temperature ≤25±2°C)		

Stainless Steel Hand Dryers

PW-B





PW-B



PW-C



PW-D



PW-E

Voltage:	110/220VAC 60/50Hz	**Rated Power:**	1350-1400W
Heating ower:	800w(Heatng when temperature <25°C)	**Motor Power:**	550-600W
Wind Speed:	75m/s	**motor speed:**	20000RPM





Mirror Finish



Polished Finish





Voltage:	110/220VAC 60/50Hz	**Rated Power:**	1300W
Heating ower:	750w(Heatng when temperature <25°C)	**Motor Power:**	550W
Wind Speed:	90m/s	**N.W(KG):**	4.3KG



JET HAND DRYER SERIES

Brushless/Brushed motor optonal

High Speed Motor with 7-10S drying tme

New Larger HEPA Filter with an efficiency of 99.9%

#304 S.S. Shell

PW-70-4S



PW-70-1



PW-70-2



PW-70-3



PW-70-4

Voltage:	110/220V AC 60/50Hz
Heating ower/Rated Power:	1000W(MAX); 1000-2000W
Motor Speed/Power:	20000-40000RPM/1000W
Wind Speed:	90-100m/s
Noise:	75-80dbs(brushed motor); 70-75 dbs(brushless motor)
Waterproof Grade:	IPX4

PLASTIC HAND DRYER SERIES





PW-203C



PW-203A



PW-203B

Size:	23.7X19.5X23CM
N.W(KG):	2.00/1.5(Brushless motor)
Voltage/Frequency:	AC220-240~/50-60Hz
Motor:	Capacitor motor/Brushless motor(Optonal)
Total Power:	1800W
Current:	8A
Wind Speed:	16m/s/30m/s(Brushless motor)
Motor Speed:	2600r/min/3050r/min(Brushless motor)
Material:	Ivory white ABS





PW-203D

Size:	23.7X19.5X23CM
N.W(KG):	2.00/1.5(Brushless motor)
Voltage/Frequency:	AC220-240~/50-60Hz
Motor:	Capacitor motor/Brushless motor(Optonal)
Total Power:	1800W
Current:	8A
Wind Speed:	16m/s/30m/s(Brushless motor)
Motor Speed:	2600r/min/3050r/min(Brushless motor)
Material:	Ivory white ABS

PW-04






PW-04

Size:	26.5X15.5X20CM
N.W(KG):	2.00/1.5(Brushless motor)
Voltage/Frequency:	AC220-240~/50-60Hz
Motor:	Capacitor motor/Brushless motor(Optonal)
Total Power:	1800W
Current:	8A
Wind Speed:	16m/s/30m/s(Brushless motor)
Motor Speed:	2600r/min/3050r/min(Brushless motor)
Material:	Ivory white ABS





PW-S1



PW-S2

Size:	18.7X29.3X12.8CM
N.W(KG):	9.2/10(Brushless motor)
Voltage/Frequency:	AC220-240~/50-60Hz
Motor:	Brushed motor/Brushless motor(Optonal)
Total Power:	1200W
Current:	5A
Wind Speed:	110m/s/120m/s(Brushless motor)
Motor Speed:	3600
Material:	Ivory white ABS





PW-852



PW-851



Water tray type(Optional)

Size:	24.5×16.4×24.5CM/25×16×45.5CM(Water tray type)
N.W(KG):	3.2/20(Water tray type)
Voltage/Frequency:	AC220-240~/50-60Hz
Waterproof ratng:	IPX1
Total Power:	1200W
Current:	5.5A
Wind Speed:	90m/s
Motor Speed:	16000r/min
Material:	Ivory white ABS



PW-V01



Gun Gray



Silver



White



Black

Size:	23CMX39CMX14CM
N.W(KG):	3.2
Voltage/Frequency:	AC220-240~/50-60Hz
Material:	ABS
Total Power:	1450W
Current:	6.5A
Wind Speed:	120m/s/140m/s(Brushless motor)

PW-981



PW-981



Gun Gray



Silver

White




Black


Size:	24CMX38.5CMX11.3CM
N.W(KG):	2.3
Voltage/Frequency:	AC220-240~/50-60Hz
Material:	ABS
Total Power:	1150W
Waterproof Grade:	IPX4
Wind Speed:	120m/s

PW-THD05A


INNOVATIVE

3-in-1 Faucet Soluton






Liquid Drop/Foaming



Water



Two Sides Wind

A Whole Set






PW-THD01



PW-THD02

Voltage:	110V/220V AC, 60/50Hz	**Rated Power:**	1000W(Maximun)
Wind Speed:	80m/s	**Motor Type:**	Brushless DC Motor
Material:	304SS/Brass	**Sensing Distance:**	3-12cm
Water Pressurere Required:	1-8 bar	**Max Water Outlet Time:**	60s
Soap Tank Capacity:	3000ml	**Operating emperature Range:**	5-40°C








PW-THD01A



PW-THD02A

Voltage:	110V/220V AC, 60/50Hz	**Rated Power:**	1000W(Maximun)
Wind Speed:	80m/s	**Motor Type:**	Brushless DC Motor
Material:	304SS/Brass	**Sensing Distance:**	3-12cm
Water Pressurere Required:	1-8 bar	**Max Water Outlet Time:**	60s
Soap Tank Capacity:	3000ml	**Operating emperature Range:**	5-40°C



PW-THD04



PW-THD05

Voltage:	110V/220V AC, 60/50Hz	**Rated Power:**	1000W(Maximun)
Wind Speed:	80m/s	**Motor Type:**	Brushless DC Motor
Material:	304SS/Brass	**Sensing Distance:**	3-12cm
Water Pressurere Required:	1-8 bar	**Max Water Outlet Time:**	60s
Soap Tank Capacity:	3000ml	**Operating emperature Range:**	5-40°C



PW-ML

Five-in-one function: soap dispenser, mirror, clock, Thermometer, decoration

A series with different colors and Installation methods allow to choose according to your environment.

Main Material: Aluminium Alloy (shell)
Power supply: 4x 1.5 V LR6 AA Bateries or USB (6V1A)
(When powered by USB, the screen is always on When powered by bateries, the screen will be o ffa er 10s)

Automatic Soap Dispenser

Installaton: Table and wall mounted type


Liquid drop


Spray


Foaming

12/24 Hour clock

Temperature

USB available

Batteries available

With 5 dispensing levels

Warning for use out





Color

(Can be customized)

Size(mm)	G.W./N.W.(G)	Capacity	Packing	Packing
260x141x78mm	1.25/1.00kgs	480ml	G.W./N.W.(KGS): 17.5KGS/14.5KGS	Pcs/ctn:12pcs/ctn Ctn size:54.5x31.5x47.5cm

PW-NX

We always believe “Innovation defines hygiene”. The series of NEW smart SOAP DISPENSERS redefined “Soap Dispenser”, which is with multiple functions to clean your hands while bringing you joy.

It is “Unique”, “Attractive”, “ Modern”, “ luxurious ”, “Intelligent”.

Main Material: Aluminium Alloy (shell)
Power supply: 4x 1.5 V LR6 AA Bateries or USB (6V1A)
(When powered by USB, the screen is always on When powered by bateries, the screen will be o ffa er 10s)



Automatic Soap Dispenser

Installaton: Table and wall mounted type


Liquid drop


Spray


Foaming

12/24 Hour clock

Temperature

USB available

Batteries available

With 5 dispensing levels

Warning for use out



Color

(Can be customized)

Size(mm)	G.W./N.W.(G)	Capacity	Packing	Packing
228x141x78mm	1.23/0.99kgs	480ml	G.W./N.W.(KGS): 17.0KGS/14.0KGS	Pcs/ctn:12pcs/ctn Ctn size:54.5x31.5x47.5cm

PW-MS

It is user-friendly and refillable. Different people have different requirement for the volume for soap, and the automatic soap dispenser has different volume for people to choose, which will help to save soap

Main Material: Aluminium Alloy (shell)
Power supply: 4x 1.5 V LR6 AA Bateries or USB (6V1A)
(When powered by USB, the screen is always on When powered by bateries, the screen will be o ffa er 10s)



Automatic Soap Dispenser

Installaton: Table and wall mounted type


Liquid drop


Spray


Foaming

12/24 Hour clock

Temperature

USB available

Batteries available

With 5 dispensing levels

Warning for use out



Color

(Can be customized)

Size(mm)	G.W./N.W.(G)	Capacity	Packing	Packing
251x141x105mm	1.4/1.15kgs	480ml	G.W./N.W.(KGS): 18.0KGS/15.0KGS	Pcs/ctn:12pcs/ctn Ctn size:54.5x31.5x47.5cm



Color (Can be customized)

Automatic Soap Dispenser

PW-NJ



Size(mm): 229x140x81mm
G.W./N.W.(g): 1.3/1.05kgs
Capacity: 480ml

Packing: G.W.:21.6KGS/N.W.:20.7KGS
Pcs/ctn: 16pcs/ctn
Ctn size: 56x31.5x45.5cm

Installation: Table
Dispensing mode: Liquid drop/Spray /Foaming



Color (Can be customized)

Automatic Soap Dispenser

PW-NS



Size(mm): 251x140x105mm
G.W./N.W.(g): 1.39/1.14kgs
Capacity: 480ml

Packing: G.W.:21.1KGS/N.W.:20.2KGS
Pcs/ctn: 16pcs/ctn
Ctn size: 56x31.5x45.5cm

Installation: Table
Dispensing mode: Liquid drop/Spray /Foaming

Automatic Soap Dispenser

Installaton: wall mounted type


Liquid drop


Spray


Foaming

12/24 Hour clock

Temperature

USB available

Batteries available

With 5 dispensing levels

Warning for use out



PW-N

Installation: wall mounted



Color
(Can be customized)

Size(mm)	G.W./N.W.(G)	Capacity	Packing	Packing
145x141x78mm	1.18/0.93kgs	480ml	G.W./N.W.(KGS): 24.5KGS/23.6KGS	Pcs/ctn:12pcs/ctn Ctn size:54.5x31.5x47.5cm

Automatic Soap Dispenser

Installaton: Table and wall mounted type


Liquid drop


Spray


Foaming

12/24 Hour clock

Temperature

USB available

Batteries available

With 5 dispensing levels

Warning for use out



PW-M

Installation: wall mounted



Color
(Can be customized)

Size(mm)	G.W./N.W.(G)	Capacity	Packing	Packing
167x141x78mm	1.19/0.94kgs	480ml	G.W./N.W.(KGS): 24.3KGS/23.4KGS	Pcs/ctn:12pcs/ctn Ctn size:54.5x31.5x47.5cm

FAUCET
SOAP DISPENSERS





Our Version:



Standard Market Models:



Power Supply:	AC110~240V; DC 6V	**Applicable Soap Viscosity:**	100~3800 CPS
Applicable Temperature:	1-55°C	**Material&Surface:**	Brass With Chrome Surface
Bottle olume:	1000ml	**Sensing Distance:**	5~150mm; Factory Set ng 100mm±15mm
Soap Volume:			0.5~3ml Adjustable; Factory Set ng 1.25±0.25ml
Foam Soap Volume:			0.5~25mL Adjustable; Factory Set ng 15±5ml
Power Consumption:			Standby 0.4W(≤3W); Operaton 1.2W(≤5W)



6011



6031



6051




6061



6061H



6071



6251



6081



6181



6151



6261



6271



6112



6161



6171



6131



6191



6117



6471

STAINLESS STEEL SOAP DISPENSERS

- Made of SUS304 stainless steel, ant-corrosion, ann-rust and durable
- Transparent window (optonal) for liquid level check
- Wall mounted, space-saving & user-friendly
- Refillable design, eco-friendly & cost-effective



PW-NC1200









TOP



BOTTOM



KEY

Material:	304#Stainless Steel	**Volum:**	1200ml
Sheet Thickness:	0.8mm	**Surface Finish:**	Satn/PVD(colors)
Lock:	Yes	**Produt Size:**	287(L)x101(W)x118(H)

STAINLESS STEEL SOAP DISPENSERS

- Made of SUS304 stainless steel, ant-corrosion, ann-rust and durable
- Transparent window (optonal) for liquid level check
- Wall mounted, space-saving & user-friendly
- Refillable design, eco-friendly & cost-effective



PW-ND1200









TOP



BOTTOM



KEY

Material:	304#Stainless Steel	**Volum:**	1200ml
Sheet Thickness:	0.8mm	**Surface Finish:**	Satn/PVD(colors)
Lock:	Yes	**Produt Size:**	270(L)x101(W)x112(H)

STAINLESS STEEL SOAP DISPENSERS

- Made of quality #304 stainless steel. Anti orrosion.
- Heavy duty pumps all tested before assembly, prevent leakage.
- Wall mounted design, mountng plate and screws provided, easily open lock with provided key, easily check soap level from the transparent viewing window in front of the soap dispenser.
- Satn/Polished/Painted surfaces opponal.



PW-NB





PW-NA





PW-NB

Material:	304#Stainless Steel	**Volume:**	1200ml
Lock:	Yes	**Thickness:**	0.8mm
Pump:	Black Pump Or Black Pump With Stainless Steel Cover		

PW1 SERIES



Material:	304#Stainless Steel	**Volume:**	500/800/1000/1200/1500ml
Surface Finish:	Mirror Polish	**Lock Mechanism:**	Yes

PW2 SERIES



Material:	304#Stainless Steel	**Volume:**	500/800/1000/1200/1500ml
Surface Finish:	Mirror Polish&Satn Finish	**Lock Mechanism:**	Yes

PW3 SERIES



Material:	304#Stainless Steel	**Volume:**	500/800/1000/1200ml
Surface Finish:	Mirror Polish/Satn	**Lock Mechanism:**	Yes

SQUARE SERIES



PW15-1200



PW16-1200

Material:	304#Stainless Steel	**Volume:**	1200ml
Surface Finish:	Mirror Polish&Satn Finish	**Lock Mechanism:**	Yes

PW4 SERIES











GOLD AND BLACK AVAILABLE



DIFFERENT PUMPS OPTIONAL



1230A 1230B 1230BH 1230T



1230C 1230F 1230E 1230ET



1230B 1230ETB 1230EA 1230ETA

Material:	304#Stainless Steel	**Volume:**	1000/1200ml
Surface Finish:	Mirror Polish/Satn	**Lock Mechanism:**	Yes

PW-GEM-L



PW-GEM-L



PW-GEM-T



PW-T8801

Voltage:	AC240V 60/50Hz	**Rated Power:**	stand by ≤2W; Working ≤18W
Sensing Distance:	10-20cm	**Inlet Connection:**	G1 /2"
Starting ystem:	Infrared inducton	**Water Pressure Required:**	0.05-0.8 Mpa
Environment Humidity:	﹤80%		

COMPACT & PORTABLE HAIR DRYER IDEAL FOR ON-THE-GO STYLING

Space -saving design,
perfect for both home and travel use.

PW-B07 /1200W



PW-B07 /1200W





105000 RPM high-speed motor



70dB quiet breeze



100 temperature calibrations per second



Billions of dollars Negative ion hair care



body

Voltage:	110/220VAC 60/50Hz	**Power:**	1200W
Air Speed:	22m/s	**Motor Speed:**	105,000 RPM
Maximum Noise Level:	70dB		
Air Temperature:	Cool air: Room temperature	Warm air: 50°C	Hot air: 80°C
Product size:	221.5*127*60mm	**Net weight:**	410g

Built-inNTC
Thermal Sensor

Built-in
Temperature
Controller

Built-in
microprocessor
chip

Built-in
Thermal Cut-off

Built-in
ant-fire&high temperature
resistant PPS plastc

ostole+micropore
ultra dense filter







PW-B15 /1600W

PW-B16 /1600W

Voltage:	110/220VAC 60/50Hz	**Power:**	1600W
Air Speed:	22m/s	**Motor Speed:**	110,000 RPM
Maximum Noise Level:	59dB		
Air Temperature:	Cool air: Room temperature	Warm air: 50°C	Hot air: 80°C



PW-B12 /1600W



PW-B20 /1600W



COLOR CAN BE CUSTOMIZED

Intelligent High Speed Hair Dryer with Plasma Hair Care



Magnetc Bracket



Bracket



Magnetc Nozzle



Storage Box

PW-B10 /1500W



Heat(80°C)

Warm(50°C)

Normal(30°C)



PW-616 /1875W



PW-618 /1800W



PW-619 /1300W



PW-630 /1600W




Obsidian Black



Space Grey



Elegant Grey



THE MIRROR CABINET CAN BE CUSTOMIZED, AND ITS FUNCTIONS CAN BE FREELY CONFIGURED.



Paper Dispenser



Soap Dispenser



Hand Dryer



Model:PW-MC

Mirror Cabinet With Open Lid





Material:	304#Stainless Steel	**Surface:**	Satn/Chrome/Gold
Soap Dispenser/Paper disper/Hand Dryer:			customize

STAINLESS STEEL GRAB BARS



LENGTH CAN BE CUSTOM-MADE

Material:	SS304/SS201	**O.D.:**	25mm/32mm/35mm
Thickness:	1.0mm/1.2mm/1.5mm	**Length:**	300/400/500/600/800mm
Surface:		Satn, polished, painted or with knurls	



PW-SGB



PW-FGB



PW-WAB



PW-WAB1



PW-FB

OEM AVAILABLE

SHOWER SEATS



Model:PW-BS05

Material: 304SS+ABS
Diameter: 32mm
load bearing: 200kgs
Thickness:
pipe1.0 mm supports 3mm 1pcs/box



PW-BS01



PW-BS02



PW-BS03



PW-BS04